



# OMNIAIRE 600 Nitro

## HEPA Air Filtration Machine

### ORDERING INFO

OmniAire 600 Nitro	OA600N
Primary/Secondary Two-Stage Filters (box of 20)	OAPI616
HEPA Filter 99.99%, 0.3µ (plastic frame)	OAH15156P
OdorGuard 600 Carbon Filter	OG1616
Quick Clamp, 8"-12" Dia.	QCW12
Flexible Duct, 10" Dia. x 25' L	OAD10
Flexible Duct, Wire & Fiber Reinforced	OAD10R

### PART NUMBER



UL 507:1997/R:2017-01  
CAN/CSA-C22.2 No. 113-15

The OmniAire Nitro 600 a portable HEPA air scrubber with a variable speed motorized impeller featuring high suction capacity and air flow. It is used for removal of toxic mold, asbestos and lead dust during renovation and abatement projects, and for purifying air in commercial, factory sites and medical facilities. The Nitro can be used with a variety of filters such as HEPA 99.99%, MERV 15, or an activated carbon filter. Units are safely stackable up to 3 high during operation, transportation, and storage.

### OmniAire 600 Nitro

<b>Airflow*</b>	200 - 600 CFM
<b>Power Requirements</b>	115VAC/60 Hz/2.4 Amp
<b>Blower</b>	motorized impeller with thermal overload
<b>Recessed Controls</b>	variable speed control; red power indicator light; amber change filter light; GFI protected outlet (8 Amp load max); 12 Amp breaker
<b>Filtration</b>	HEPA Filter 99.99% 0.3µ; MERV 9 primary/secondary filter Optional: OdorGuard 600 carbon web filter
<b>Housing</b>	polyethylene; 10" inlet/outlet; soft rubber handle
<b>Size/Weight</b>	19"W x 19"H x 25"L; 36 lbs.

\*Airflows based on blower manufacturer curves. Different filters may cause the flow to vary.